Life of Fred Geometry

Stanley F. Schmidt, Ph.D.



Polka Dot Publishing

Note to Students

ne day in the life of Fred. A Thursday just after his sixth birthday. In the few hours of that one day, you will experience a full course in geometry. Everything's here: the formulas, the definitions, the theorems, the proofs, and the constructions.

WHAT YOU'LL NEED TO HAVE

You will need at least one year of high school algebra. (*Life of Fred: Beginning Algebra*).

In this geometry book for example, on p. 26 we will go from y + y = z to $y = \frac{1}{2}z$.

It is preferable, however, that you have completed the two years of high school algebra. (*Life of Fred: Beginning Algebra* and *Life of Fred: Advanced Algebra*)

Most schools stick geometry between the two years of algebra—beginning algebra, geometry, advanced algebra—but there are a couple of reasons why this is not the best approach.

First, when you stick geometry between the two algebra courses, you will have a whole year to forget beginning algebra. Taking advanced algebra right after beginning algebra keeps the algebra fresh.

Second, the heart of geometry is learning how to do proofs. This requires an "older mind" than the mechanical stuff in the other math courses. A person's brain develops in stages. Most three-year-olds don't enjoy quiz shows on television. Most ten-year-olds are not "interested" in the opposite sex. Many readers will find it easier to handle *Life of Fred: Geometry* after they reach the age of 15 or 16.

Here is the better sequence of high school math courses:
beginning algebra
advanced algebra

Geometry
trig.

Geometry is one course that is different from all the rest. In the other courses, the emphasis is on calculating, manipulating and computing answers.

In arithmetic, you find 6% of \$1200. In beginning algebra, you solve $\frac{x^2}{x+2} = \frac{8}{3}$

In advanced algebra, you use logs to find the answer to: *If my waistline grows by 2% each year, how long will it be before my waist is one-third larger than it is now?* [Taken from a Cities problem at the end of chapter three in *Life of Fred: Advanced Algebra.*]


In trigonometry, you find the five different answers to $x^5 = 1$.

And then in calculus, you find the arc length of the curve $y^2 = 4x^3$ from x = 0 to x = 2. [From a Cities problem at the end of chapter 17 in *LOF: Calculus.*]

The answer, in case you're wondering, is $(2/27)(19^{3/2} - 1)$.

And then in linear algebra, which follows calculus, you will solve systems of many equations with many unknowns.

In contrast, in geometry there are proofs to be created. It is much more like solving puzzles than grinding out numerical answers. For example, if you start out with a triangle that has two sides of equal length, you are asked to show that it has two angles that have the same size.



There are at least four different ways to prove that this is true. The proof that you create may be different than someone else's. Things in geometry are much more creative than in the other courses. It was because of the fun I experienced in geometry that I decided to become a mathematician.

The surprising (and delightful) truth is that geometry is much more representative of mathematics than are arithmetic, beginning algebra, advanced algebra, trig, or calculus. Once you get beyond all the "number stuff" of those courses, math becomes a playground like geometry. On page 209 I describe eight (of the many) math courses that you can take as a college student after calculus. All of them have the can-you-find-a-proof spirit that geometry has.

THE USUAL SUPPLIES FOR GEOMETRY

Besides a bit of algebra, you'll need the usual supplies for geometry:

- ✓ paper and a pencil
- ✓ a ruler
- ✓ a compass



(used in chapter 11 when we do constructions)

✓ maybe a protractor



(to measure angles)

✓ maybe your old hand-held calculator with +, -, ×, ÷, and
√ keys on it.


The paper, pencil and ruler you probably already have. A compass may cost you a dollar or two.

If you're super rich and you want to blow another buck for a protractor, that's your choice. You won't really need one for this course.

WHAT YOU'LL NEED TO DO

Throughout this book are sections called *Your Turn to Play*, which are opportunities for you to interact with the geometry. Complete solutions are given for all the problems in the *Your Turn to Play* sections.

If you really want a solid grounding in geometry, just reading the problems and then just reading the solutions in the *Your Turn to Play* sections without working them out for yourself really won't work.



Contents

Chapter 1	Points and Lines
	line segments
	collinear points
	concurrent lines
	midpoint
	circular definitions
	undefined terms
	postulates and theorems
	coordinates of a point
Chapter 2	Angles
	rays
	Euclid's The Elements
	acute, right, and obtuse angles
	congruent angles
	degrees, minutes, and seconds
	vertical angles
	supplementary angles
	linear pair
Chapter 3	Triangles
	right triangles, hypotenuse, and legs
	acute and obtuse triangles
	isosceles triangles
	scalene triangles
	SSS, SAS, ASA postulates
	drawing auxiliary lines
	equilateral and equiangular triangles
Chapter 4	Parallel Lines
	coplanar and skew lines
	indirect proofs
	exterior angles
	alternate interior angles and corresponding angles

Chapter 5	Perpendicular Lines
	theorems, propositions, lemmas, and corollaries
	Hypotenuse-Leg Theorem
	perpendicular bisectors
	distance from a point to a line
Chapter 5½	Chain the Gate
1	P & Q ("and")
	$P \lor Q$ ("or")
	P → Q ("implies")
Chapter 6	Quadrilaterals
	parallelogram
	trapezoid
	rhombus
	kite
	rectangle
	square
	Honors Problem of the Century
	midsegment of a triangle
	intercepted segments
Chapter 7	Area
	triangles
	parallelograms
	rectangles, rhombuses, and squares
	perimeter
	trapezoids
	polygons
	Pythagorean Theorem
	Heron's formula
	triangle inequality
Chapter 7½	Junior Geometry and Other Little Tiny Theories 278
	three-point geometry
	models for axiom systems
	group theory

Chapter 8	Similar Triangles
Chapter 8½	Symbolic Logic
	If ••• then ••• statements
	contrapositive
	¬P ("not" P)
	truth tables
	transitive property of →
	tautology
Chapter 9	Right Triangles
1	mean proportional (= geometric mean)
	three famous right triangles:
	3–4–5
	45°-45°-90°
	30°-60°-90°
	adjacent, opposite, hypotenuse
	tangent function (from trigonometry)
Chapter 10	Circles
Chapter 10	center, radius, chord, diameter, secant, tangent
	concentric circles
	central angles
	arcs
	inscribed angles
	proof by cases
	circumference
	π
	inductive and deductive reasoning
	hunch, hypothesis, theory, and law
	sectors

Chapter 11	Constructions
	compass and straightedge
	rules of the game
	rusty compass constructions
	golden rectangles and golden ratio
	trisecting an angle and squaring a circle
	incenter and circumcenter of a triangle
	collapsible compass constructions
	46 popular constructions
Chapter 11½	Non-Euclidean Geometry415
	attempts to prove the Parallel Postulate
	Nicolai Ivanovich Lobachevsky's geometry
	consistent mathematical theories
	Georg Friedrich Bernhard Riemann's geometry
Chapter 12	Solid Geometry
	a line perpendicular to a plane
	distance from a point to a plane
	parallel and perpendicular planes
	polyhedrons
	hexahedron (cube)
	tetrahedron
	octahedron
	icosahedron
	dodecahedron
	Euler's Theorem
	volume formulas
	Cavalieri's Principle
	lateral surface area
	volume formulas: cylinders, prisms, cones, pyramids, spheres
Chapter 12½	Geometry in Four Dimensions
	how to tell what dimension you live in
	how two-dimensional people know that there is no third
	dimension
	getting out of jail

	organic chemistry and why you don't want to be flipped in the
	fourth dimension
	tesseracts and hypertesseracts
	the Chart of the Universe (up to 14 dimensions)
Chapter 13	Coordinate Geometry
	analytic geometry
	Cartesian/rectangular/orthogonal coordinate system
	axes, origin, and quadrants
	slope
	distance formula
	midpoint formula
	proofs using analytic geometry
Chapter 13½	Flawless (Modern) Geometry 486
	proof that every triangle is isosceles
	proof that an obtuse angle is congruent to a right angle
	19-year-old Robert L. Moore's modern geometry
	∃ ("there exists")
	e, π and $\sqrt{-1}$
	∀ ("for all")
A.R.T. section	a (a quick summary of all of geometry)
Index	538



red's two little eyes popped open. It was several minutes before dawn on an early spring morning. He awoke with a smile. There were so many things for which to be grateful. He ticked them off in his mind one by one.

- ✓ He was home, safe and sound.
 - ✓ It was Thursday—one of his seven favorite days of the week.
 - ✓ He had received a wonderful pet llama at his sixth birthday party last night.
 - ✓ His math teaching position at KITTENS University.

What a wonderful life! was his morning prayer. He stood up and stretched to his full height of thirty-six inches. Fred's home for the last five years or so was his office on the third floor of the math building at the university. By most standards he had been quite young when he first came to KITTENS.

Years ago, when he had arrived at the school, they had assigned him his office. He had never had a room of his own before. He was so tuckered out from all the newness in his life (a new job, a new state to live in, a new home) that he had just closed the door to his office and found a nice cozy spot (under his desk) and had taken a nap.

And every night since then, that is where he slept.

He had the world's shortest commute to work. And no expenses for an apartment or a car.

"Good morning Lambda!" he said to his llama. He had named her Lambda in honor of the Greek letter lambda (λ). He enjoyed the alliteration of "Lambda the llama."

She was busy chewing on the wooden fence that he had erected in his office.

"Would you like to get out and get some exercise with me," he continued. Fred hopped into his jogging clothes. The pair headed down the two flights of stairs and out into an icy Kansas morning.

Fred was worried that his new pet wouldn't be able to keep up with him as he jogged. He had been jogging for years and running 15 or 20

miles was nothing for him. Fred's fears, however, were unfounded. His six-foot-tall llama had no trouble matching the pace of Fred's little legs.

In fact, after a few minutes, Lambda spotted the new bocci ball



lawn and raced ahead to enjoy some breakfast. By the time Fred caught up to her, she had mowed a straight line right across the lawn. Fred's little snacks that he had given her last night had left her hungry.

Oh no! Fred thought. Larry is gonna be mad. He put a lot of effort into that lawn. The international bocci ball tournament is scheduled to be here next week.

"Lambda, please come here. You're not supposed to be on Mr. Wistrom's lawn."

She, being a good llama,

obeyed. On her way back to Fred she munched a second line in the grass. Fred loved his pet and didn't know that


he was supposed to discipline her. Besides, he thought to himself, those are such nice parallel lines.



Who could discipline such a lovely creature?

Actually, to be perfectly accurate, Parallel lines those are line segments, he corrected himself. A line segment is just part of a line. It has two endpoints. A line is infinitely long in both directions. Anybody who's studied geometry knows that. Fred enjoyed the precision that mathematical language afforded him.

creature? When Fred drew lines on the blackboard in his geometry class, he'd put arrows on ends to indicate that the lines went on forever. He labeled lines with lower case letters.



To draw a line segment was easy. You didn't need any arrows.



Line segment \overline{AB} with endpoints A and B

Points like A and B are written with capital letters, and lines like ℓ and m are written with lower case letters.

 \overline{AB} is the notation for the line segment with endpoints A and B.

 \overrightarrow{AB} is the notation for the line which contains A and B.



Line AB which passes through A and B

And just to make things complete: AB is the *distance* between points A and B. That makes AB a number (like six feet) whereas \overline{AB} and \overline{AB} are geometrical objects (a segment and a line).

Your Turn to Play

- 1. Line segments (sometimes called segments for short) can come in lots of different lengths. Name a number that *couldn't* be a length of a line segment. (Please try to figure out the answer before you look at the solution furnished below.)
- 2. If AB = 4 and AC = 4, does that mean that A, B and C all lie on the same line?
- 3. If points D, E and F are collinear with E between D and F,

it would *not* be right to say that

 $\overline{DE} + \overline{EF} = \overline{DF}$. Why not?



- 4. (A tougher question) If GH + HI = GI, must it be true that:
- a) points G, H and I are collinear? b) H is between G and I? The way to figure out the answer to this question is to get out a piece of paper and draw three points so that the distance from G to H plus the distance from H to I is equal to the distance from G to I. Be convinced in your own mind what the answers to questions a) and b) are before you look at the solutions below. You will learn very little by just reading the questions and then glancing at the answers.

Index

05.510	1
acute triangle	between
AIP Theorem	CAP Theorem
altitude	cardioid
analytic geometry	Cartesian coordinate system 471
angle 59, 517	Cavalieri's Principle 439
acute 60	central angle
adjacent angles	Chart of the Universe 468
alternate interior angles 134	chord
angle bisector 89, 519	circle
complementary 153, 521	circumference
congruent angles	definition of
corresponding angles 134	equation of a circle
exterior angle 132, 520	tangent
interior	circular definitions
measure of an angle 59	circumcenter of a triangle 409
obtuse 61	circumference
remote interior angle 128	collapsible compass constructions 412
right 60	collinear 20, 216
sides 71	commutative law of addition 43
straight angle	commutative law of multiplication 43
vertical angles 72, 518	concentric circles 351, 529
Angle Addition Postulate 87	conclusion
Angle Bisector Theorem 309	concurrent
Archimedes	lines
area formulas	planes 451, 536
Heron's formula	congruent
parallelogram 236	angles
rectangle	segments
rhombus	congruent triangles 99
square	construction
trapezoid	rusty compass 396
triangle 236	the rules
ASA	contrapositive 37, 317
associative law of addition 43	converse 36, 107, 113, 114, 139, 153
associative law of multiplication 43	of Isosceles Triangle Theorem. 108
auswendig lernen	coordinate of a point 42
auxiliary	coplanar
segments, lines, rays 107	corollary
Babylonians	corresponding angles
Dao j. 10 111 a 110	corresponding ungles 137

Descartes, René 471	irony 22
diameter	Isosceles Triangle Theorem 107
distance formula 475	a second proof 109
in five dimensions	a third proof
distance from a point to a line 176	converse
distributive property 43	ITT 107
dodecahedron	kite 188
dogs	legs 92
eccentricity of an ellipse 293	lemma
endpoints	limit of function f(x) as x approaches a
engineers v. mathematicians 503	368
equiangular	line segment
Euclid	linear pair of angles 72, 518
Euler's Theorem 437	lines
Exterior Angle Theorem 128, 129, 132	parallel117
strong form 148-150	perpendicular
foot of a perpendicular 176	skew
geometric mean 412	locus of points 483, 537
Goldbach's "Theorem"	logically equivalent 48, 517
golden ratio	Lysistrata116
golden rectangle 399, 400	major arc
graphing	measure of a major arc 357
group theory	Maslow, Abraham 478
H-L Theorem (Hypotenuse-Leg) 167,	mathematical theory 33, 34
170	consistent
hexahedron	models 282
Hilbert, David 495	palm tree illustration 34, 126
homochirality	tall and slender 251
how to tell what dimension you live in	mean proportional
454	median 111, 175, 409, 520, 534
hyperbole	midpoint formula 476
hypotenuse	midsegment 204, 524
hypothesis	Midsegment Theorem 205, 524
icosahedron	converse 205
iff	minor arc
incenter of a triangle 408, 533	measure of minor arc 357
inductive and deductive reasoning 377	minutes 65, 518
hunch/hypothesis/theory/law 378	Moby Dick 304
swans	models 282
inscribed angle of a circle 357	Modus Ponens 323
intercept	Moore, Robert L 494

mutatis mutandis	Postulate 5
obscurantism52	Angle Addition Postulate 87
obtuse angles61	Postulate 6
octahedron	SSS
opposite rays 54, 55	Postulate 7
orthogonal coordinate system 471	SAS 103
Ozymandias 344	Postulate 8
PAI Theorem 138, 139	ASA 104
Parallel Postulate	Postulate 9
parallelogram188	Parallel Postulate 125
area	Postulate 10
perimeter	Area Postulate 247, 525
perpendicular 88, 519	Postulate 11
perpendicular bisector	congruent triangles have equal areas
Perpendicular Bisector Theorem 175,	
523	Postulate 12
poetry	Area Addition Postulate 247, 526
enjambment58	Postulate 13
feet 57	area of a square
Fred's	Postulate 14
point	AA
a picture of one 32	Postulate 15 429
polygon 245, 246	Postulate 16
definition of exterior 249	Flat Plane Postulate 429, 535
definition of interior 249	prime numbers
regular polygon 366	prism
polyhedron	volume
interior of a polyhedron 442	proof
Pons Asinorum	by cases
postulate	indirect proof
definition of	outline of a proof or sketching a
list of the first 13 278	proof 177
Postulate 1	possible reasons 121, 127
Two points determine a line 33	the two rules for a valid proof 79
Postulate 2	proportions
Ruler Postulate 41	extremes
Postulate 3	five favorite tricks
Angle Measurement Postulate 59	geometric mean
Postulate 4	interchanging the extremes 298
linear pair implies supplementary	means
73	proposition 46, 164

protractor61	similar
pyramid	triangles
Pythagorean Theorem 267, 472, 526	sphere
converse	equation of a sphere 480
Garfield's proof	surface area
quadrant	square
radian measurement	area
radius	square the circle
ray	SSS 101
rectangle	stereochemistry 462
area	supplement90
rectangular coordinate system 471	supplementary angles 72, 518
reflexive law of equality 165	symmetric property of equality 44
regular polygon	tangent function
remote interior angle	table
rhombus	tautology
area	tesseract
right angle 60	tetrahedron
right triangle 92	The Elements 50
30°-60°-90° triangle	theorem
3–4–5 right triangle 329	def of
45° right triangle	theory
hypotenuse 92	palm tree illustration 34
legs	transitive law
Three Famous Right Triangles 329	transitive law of equality 43, 140
rusty compass construction 396	Transitive Property of Congruent Angles
SAS	Theorem 140, 521
sea chanty	transversal
secant	trapezoid
secant line	area
seconds	isosceles
sector	triangle
segment	acute triangle 95, 519
congruent segments 64	area
endpoints	circumcenter 409
semicircle	congruent99
semiperimeter 271	equilateral
Seven Wonders of the Ancient World	incenter
444	isosceles triangle 96, 519
Shelley, Percy Bysshe	obtuse triangle 95, 519
	scalene triangle 96, 520

triangle inequality 273, 526
trisect an angle
$truth\ tables. \dots \dots 319$
for \vee ("or")
for "not"
for &
for →
valid arguments 321
$undefined\ terms$
vertex
of a triangle
of an angle 58
Vertical Angle Theorem 81
vertices 516
volume formulas 29
cone
cylinder
prism
→ ("implies")
∨ ("or")